

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google scholar [Adva](#)
[Scho](#)

Scholar -

[PDF] ► [An indoor wireless system for personalized shopping assistance](#)

A Asthana, M Cravatts, P Krzyzanowski - Proceedings of IEEE Workshop on ..., 1994 - Citeseer
... While the down link from the **server** supports high **quality** digital images (full ... builds upon some

of the existing technologies such as wireless networks, **image** compression and VLSI technology, low power circuits, active memories, **database**, speech **recognition** and synthesis ...

[Cited by 122](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[CITATION] [A method for protecting copyright on networks](#)

GN Griswold - Joint Harvard MIT Workshop on Technology Strategies ..., 1993

[Cited by 83](#) - [Related articles](#)

[System and method for controlling information delivery procedures using physical](#)

...
SI Konomi - 2003 - freepatentsonline.com

... Relevance feedback could be useful for maintaining the **quality** of **profiles** when, for example ...

Furthermore, information objects can contain text, audio, **image**, video, and hyperlink information.

...
hardware such as sensors that is provided for a physical filter **recognition** module 130

[PDF] ► [Sample images can be independently restored from face **recognition** templates](#)

A Adler - Proc. Can. Conf. Elec. Comp. Eng, 2003 - Citeseer

... then gradually improved using the match score calculated between test **image** modifications and ... In tests with three different face **recognition** algorithms, regenerated images were of sufficient

quality to masquerade to the algorithm as the target, and to give an overall ...

[Cited by 32](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[System for generation of **user profiles** for a system for customized electronic ...](#)

FSM Herz, JM Eisner, LH Ungar, MP Marcus - US Patent 5,754,939, 1998 - Google Patents

... Additionally, a cryptographically based proxy **server** is provided to ensure the privacy of a **user's** ...

There is also no existing system which automatically estimates the inherent **quality** of an ...
Apple's

Advanced Technology Group has developed an a "**user**", (d.) a **profile** holding mat ...

[Cited by 140](#) - [Related articles](#) - [All 3 versions](#)

[PDF] ► [The potential of electronic commerce in re-engineering consumer-retail ...](#)

I Terpsidis, A Moukas, B Pergoudakis, G Doukidis, ... - Advances in Information ..., 1997 - Citeseer

... is mainly characterised by the disloyalty he/she exhibits, in search of better prices, **quality**, and convenience ... As a side-effect, this agent also assists in the problem **recognition** stage by identifying ...

on consumers' **profiles**, so as to create a solid and reliable corporate **image**, to build ...

[Cited by 32](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

System and method for controlling information delivery procedures using physical

...

S ichi Konomi - US Patent App. 10/295,149, 2002 - Google Patents

... Rel- evance feedback could be useful for maintaining the **quality** of **profiles** when, for example ...

Furthermore, information objects can contain text, audio, **image**, video, and hyperlink information ...

hard- ware such as sensors that is provided for a physical filter **recognition** module 130 ...

Enhancing a Virtual Distributed Library **User** Interface via **Server-Side User Profile** ...

JT Ward - 2000 - Storming Media

... Performance: Updating a document or **image** is likely to be a rare event and not subject to stringent ...

It is far better to provide a higher **quality** level of service and customized offerings to keep ... data has led to the creation of a tool, by the AFRL/SN Target **Recognition** branch, to ...

[Related articles](#) - [All 2 versions](#)

[PDF] [Technologies for complex systems automation and autonomy in deep space](#) ...

DJ Atkinson, R Castano, S Chien, A Fijany - 2003 - trs-new.jpl.nasa.gov

... This system significantly decreases the time needed to generate plans while increasing the **quality**

of the plans. ... The computational engine provides parallel execution of expensive **image** processing,

object **recognition**, and query-by-content operations. Page 14. ...

[View as HTML](#) - [All 2 versions](#)

Pseudonymous **server** for system for customized electronic identification of ...

FSM Herz, JM Eisner, M Salganicoff - US Patent 5,754,938, 1998 - Google Patents

... Additionally, a cryptographically based proxy **server** is provided to ensure the privacy of a **user's**

target **profile** interest summary ... There is also 65 no existing system which automatically estimates

the inher- ent **quality** of an article or other target object to distinguish freely ...

[Cited by 76](#) - [Related articles](#) - [All 3 versions](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google

Google scholar [Adva](#)
[Scho](#)

Scholar -

Learning and revising **user profiles**: The identification of interesting web sites-

► [psu.edu](#) (pdf)

M Pazzani, D Billsus - Machine learning, 1997 - Springer

... however health dairy time summer took **quality** early normal farm ... Table 6. **User profile** for the

biomedical domain. grants .7 .2 **database** .8 .1 genome .6 .3 molecular .6 .1 protein .5 .2 prediction

.9 .1 classification. 9 1 structure .6 .2 function .6 .1 webmaster .05 .1 com .1 .4 ...

[Cited by 674](#) - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

Video communication device providing in-home catalog services

I Gerszberg, JS Martin, HS Walker - US Patent 5,970,473, 1999 - Google Patents

... (**IMAGE OF TV**) WHERE CAN I BUY? ... it is difficult for the interexchange com- panies to provide

data at committed delivery rates and/or desired **quality** levels. ... Some of these services include: voice calls, video calls, voice **recognition**, bill paying, Internet access, advertising, e-mail ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

System and method for obtaining information relating to an item of commerce using ...

K Du, M Nankov - US Patent App. 10/749,473, 2003 - Google Patents

... by different programs, the output of the different **recognition** programs may be judged for **quality**

and the ... For example, if a barcode **recognition** program applied to an **image** returns a valid UPC

and ... to the **server** 103 and the identifying data is extracted from the **image**, the method ...

[All 4 versions](#)

Creating an Electronic Commerce Device Which Promotes Universal Access: The ...

J Slonim, T Chiasson, C Gates - Lecture notes in computer science, 2000 - Springer

... on a dedicated **server** on the In- ternet, or on a shared Internet **server**. ... available, such as fingerprinting, retinal scans, speaker **recognition**, iris scans, facial **recognition**, and signatures ...

The **image quality** for the fingerprint plays an important role, with poor **quality** increasing error ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

System for generation of object **profiles** for a system for customized electronic

...

FSM Herz, JM Eisner, LH Ungar - US Patent 5,835,087, 1998 - Google Patents

... Additionally, a cryptographically based proxy **server** is provided to ensure the privacy of a **user's** ...

is also no existing system which automatically estimates the inher- ent **quality** of an ... computer then uses this relevance feedback information to refine the request **profile** and the ...

[Cited by 116](#) - [Related articles](#) - [All 3 versions](#)

Voice portal hosting system and method

RV Kommer - 2001 - freepatentsonline.com

... Representative **Image**: Voice portal hosting system and method. Inventors: Kommer, Robert Van

(Villars-sur-Glane, CH) Plaque It! ... Moreover, the knowledge of the probability of each selection may be used for improving the **quality** of the speech **recognition** of each possible ...

Enhanced genome annotation using structural **profiles** in the program 3D-PSSM

LA Kelley, RM MacCallum, MJE Sternberg - Journal of Molecular Biology, 2000 - Elsevier

... The method combines the power of multiple sequence **profiles** with knowledge of protein structure

to provide ... 3D-PSSM is available to the community as a web **server** <http://www.bmm.icnet.uk> ...

Keywords: fold **recognition**; bioinformatics; genome; threading; structure prediction. ...

[Cited by 1392](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

vCOM: Electronic commerce in a collaborative virtual world- [psu.edu](#) [PDF]

X Shen, T Radakrishnan, ND Georganas - Electronic Commerce Research and ... , 2002 - Elsevier

... A **Quality** of Service (QoS) Broker checks available network QoS and may switch connection to another **database server**, if the ... virtual shopping mall, either by keyboard commands, mouse movements or by voice commands, through a voice **recognition/synthesis** system ...

[Cited by 21](#) - [Related articles](#) - [All 5 versions](#)

... discussions as a source for consumer **product** customer involvement and **quality** ...

BJ Finch - Journal of Operations Management, 1999 - Elsevier

... This reliance on empirical research is consistent with recent **recognition** of the need for more ... It

served well for the purpose of that study, ie, to see if **quality**-related discussions even ... A technical

problem resulting from a change of Internet **server** hardware resulted in receiving no ...

[Cited by 44](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [Speech **recognition** technology in the ubiquitous/wearable computing environment](#)

S Furui - IEEE INTERNATIONAL CONFERENCE ON ... , 2000 - Citeseer

... Conferencing Telephony Speech **recognition** Text-to- speech **Database** Messaging Billing interface Application programming interface News, weather, sports Stocks, **profile**- driven applications ECommerce, WAP Custom applications ... Grammars Web **server** DB Page 7. 7 ...

[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 10 versions](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google scholar [Adva](#)
[Scho](#)

Scholar -

SYSTEM AND METHOD FOR PERSONAL AND BUSINESS INFORMATION ...

D Albanese - US Patent App. 10/604,355, 2003 - Google Patents

... This movie showed an advertising system that used visual **image** recognition to target ... other

user interface methodology including but not limited to phone based configuration via speech **recognition**. ... be facilitated in real-time or after-**purchase**, by garnering a **quality** score for ...

[All 2 versions](#)

Applying Innovative Information Technology

M Minsky - Knowledge organizations: what every manager should ..., 1998 - books.google.com

... **Image** and speech **recognition** transforms bit maps and signals into symbols and words. ... Smart

data-entry templates are available to ensure **quality** by checking for entity, validity ... what the text

means using intelligent OCR for document images, voice **recognition** for audio, vision ...

[Related articles](#)

Device personalisation—Where content meets device

S Hoh, S Gillies, MR Gardner - BT Technology Journal, 2003 - Springer

... The following are four possible methods for providing device **recognition**. ... There are also **quality**-of-service (QoS) issues to consider — for example, a LAN connection is generally more ...

hardware characteristics (screen size, colour capabilities, **image** capabilities, manufacturer), ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

Mining customer **product** ratings for personalized marketing- ► [olemiss.edu](#)

[PDF]

KW Cheung, JT Kwok, MH Law, KC Tsui - Decision Support Systems, 2003 - Elsevier

... **Purchase** records can also be good indicators of customer preferences. ... All these can be integrated

directly into a company's Web **server** to provide personalized **product** ... The issue of dimension reduction has also been studied widely in statistics and pattern **recognition**. ...

[Cited by 72](#) - [Related articles](#) - [All 8 versions](#)

Home care delivery through the mobile telecommunications platform: the Citizen

...

N Maglaveras, V Koutkias, I Chouvarda, DG Goulis, ... - International Journal of ..., 2002 - Elsevier

... Advanced **user** interface mechanisms (eg touch screens, voice **recognition** support). ... 2.1.2. **Quality**

of health care objectives. ... IIS is a widespread Web **server** system integrated with **Server**™ that makes

it easy to publish information and bring applications to the Web. ...

[Cited by 57](#) - [Related articles](#) - [All 4 versions](#)

A streamlined system for building online presentation archives using SMIL-

► [psu.edu](#) [PDF]

D James, J Hunter - Proceedings of the Australasian conference on ..., 2000 - portal.acm.org
... But given the cost of manual transcription and the lift, rations of automatic speech **recognition** systems, this ... rate eg to use audio instead of the video or to use a lower **quality** video ...
Conversion
of text to an **image** precludes the ability to perform text searches or to highlight relevant ...
[Cited by 8](#) - [Related articles](#) - [All 10 versions](#)

Method and system for sharing anonymous **user** information

BH Bender, GJ Cronin, JA Lloyd - US Patent App. 09/983,493, 2001 - Google Patents
... Bureau Sends Request To Data Company For Anonymized **User** Info 735 Data Company Responds To Service Bureau With Requested Info 740 Service Bureau Passes Corrected **User** Info Back To Merchant **Database** 745 Service Bureau Stores In **Profile** Anonymized **User** ...
[All 2 versions](#)

Internet access to ionosondes

IA Galkin, DF Kiltrosser, Z Kecic, BW Reinisch - Journal of Atmospheric and ..., 1999 - Elsevier
... There are, of course, times when ionospheric conditions complicate the task of automatic **recognition** of ionogram features and degrade the **quality** of the ... possibly against the long-term
predicted behavior) and the ability to revoke the ionogram **image** to resolve ...
[Cited by 7](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[PDF] [Efficient support of soft query in **image** retrieval systems](#)

C Shahabi, YS Chen - Proceedings of SSGRR 2000 Computer and ..., 2000 - dimlab.usc.edu
... If there is no membership value either stored or derived for **image** d to class c in the system **profile**,
then the mem ... The sys- tem computes the soft membership value for each **image** (using Equation
3) in two phases. In phase one, the system first retrieves AA from the **database**. ...
[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

A framework analysis of the open source software development paradigm-

[psu.edu](#) [pdf](#)
J Feller, B Fitzgerald - Proceedings of the twenty first international ..., 2000 - portal.acm.org
... of companies such as Perrier, Ballygowan, and Heinz, where brand **image** has been ... Also, the
OSS community norms ensure a strict meritocracy where **quality** speaks for itself. Contributors cannot confer expert status on themselves; rather, it arises through peer **recognition**. ...
[Cited by 165](#) - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google